


# AbbeyFlor™ PREMIX



## The Smart Choice for the Treatment of Porcine Respiratory Disease

For the treatment of pig respiratory disease associated with *Actinobacillus pleuropneumoniae*, *Pasteurella multocida*, *Mycoplasma* spp. and *Streptococcus suis* Type 2.

- Registered for use in Pigs
- Contains the powerful active Florfenicol



	Nuflor® Premix	AbbeyFlor™ Premix
Active Constituent	Florfenicol 40g/kg	Florfenicol 40g/kg
Species	Pigs	Pigs
Withholding Periods		
Meat	12 days	12 days
ESI	15 days	15 days

Nuflor® is a registered trademark of Intervet International B.V. Wim de Korverstraat 35 NL-5831, AN Boxmeer, THE NETHERLANDS

AbbeyFlor™ is a trademark of Abbey Laboratories Pty Ltd.

# AbbeyFlor™ PREMIX

## Active Constituent: 40g/kg FLORFENICOL

For the treatment of pig respiratory disease associated with *Actinobacillus pleuropneumoniae*, *Pasteurella multocida*, *Mycoplasma* spp. and *Streptococcus suis* Type 2.

### INDICATIONS

Florfenicol, the active ingredient in AbbeyFlor™ PREMIX is a synthetic, broad spectrum antibiotic active against many gram-negative and gram-positive bacteria isolated from domestic animals. Florfenicol acts by inhibiting bacterial protein synthesis at the ribosomal level.

AbbeyFlor™ PREMIX is indicated for use in the treatment of pig respiratory disease associated with *Actinobacillus pleuropneumoniae*, *Pasteurella multocida*, *Mycoplasma* spp. and *Streptococcus suis* Type 2.

### DIRECTIONS FOR USE:

#### Restraint

USE ONLY in pigs for the treatment of respiratory infections.

#### Contraindications

This product is contraindicated for use in pigs intended for breeding.

#### Side Effects

Perianal inflammation may occur transiently in pigs following treatment.

### DOSAGE AND ADMINISTRATION

**Dose rate:** 10mg florfenicol/kg bodyweight/day for 5 days.

**MIX THOROUGHLY IN FEED BEFORE USE. USE ALL PRODUCT WITHIN 3 MONTHS OF OPENING.**

To treat pigs eating 5% of their bodyweight at the recommended dose of 10mg/kg, incorporate AbbeyFlor™ PREMIX into the complete ration at a concentration of 200ppm. This corresponds to a rate of 5 kg AbbeyFlor™ PREMIX per tonne of feed. Feed as the sole ration for a period of 5 consecutive days. Medication should be initiated promptly when swine respiratory disease is diagnosed.

AbbeyFlor™ PREMIX should be thoroughly mixed in a small quantity of feed (20-50kg) before being added to the bulk mix.

### WITHHOLDING PERIOD

**MEAT: REMOVE ALL MEDICATED FEED 12 days before slaughter for human consumption.**

**Any variation by the prescribing veterinarian to the approved dose, frequency, duration, route, disease or target species may require extending the approved withholding period.**

### TRADE ADVICE:

**EXPORT SLAUGHTER INTERVAL (ESI): DO NOT USE less than 15 days before slaughter for export. The ESI on this label is correct at the time of label approval. Before using this product, confirm the current ESI from Abbey Animal Health Pty Ltd on 02 8088 0720 or the APVMA website ([www.apvma.gov.au/residues](http://www.apvma.gov.au/residues)).**

### SAFETY DIRECTIONS

Will irritate the eyes. Avoid contact with eyes. When opening the container and preparing the product for use, wear goggles. If product in eyes, wash it out immediately with water. Wash hands after use. After each day's use wash goggles.

### FIRST AID

If poisoning occurs, contact a doctor or Poisons Information Centre: Phone Australia 131 126. Additional information is in the safety data sheet. For further information contact Abbey Animal Health Pty Ltd on 02 8088 0720.

### DISPOSAL

Shake and empty contents into medicated feed. Do not dispose of undiluted chemicals on site. Puncture or shred and bury empty bag in a local authority landfill. If no landfill is available, bury the bag below 500mm in a disposal pit specifically marked and set up for this purpose clear of waterways, vegetation and roots. Empty bag and left-over product should not be burned.

### STORAGE

Store below 25°C (Air conditioning).  
APVMA Approval Number: 86149/114800

AbbeyFlor™ is a trade mark of Abbey Laboratories Pty Ltd